



The best food truck

STREALINER LINE-UP

SL-4



Pneumatic clearance
variance system


Stationary: 0 mm
Comfort: 280 mm
Offroad: 350 mm

Specifications:

Length 4,305 mm
Width 2,520 mm
Height 3,410 mm
Window size (WxH)..... 1,770 x 1,350 mm

Height up to the window 1,200 mm
Clearance 0-350 mm
Average weight 1,050 kg
Total interior area 10 m²


SL-4 BASIC INTERIOR



10 m² total

STREALINER

SL-5



Pneumatic clearance
variance system


Stationary: 0 mm
Comfort: 280 mm
Offroad: 350 mm

Specifications:

Length 4,690 mm
Width 2,520 mm
Height 3,410 mm
Window size (WxH) 2,180 x 1,000 mm

Height up to the window 1,200 mm
Clearance 0–350 mm
Average weight 1,150 kg
Total interior area 12 m²

SL-5 BASIC INTERIOR



12 m² total area

MT LINE-UP

MT-4



Specifications:

Length 4,000 mm

Width 2,520 mm

Height 3,200 mm

Window size (WxH) 2,000 x 840 mm

Height up to the window 1,530 mm

Clearance 280 mm

Average weight 1,100 kg

Total interior area 10 m²

MT LINE-UP

MT-6




Specifications:

Length 6,000 mm
Width 2,520 mm
Height 3,350 mm
Window size (WxH) 4,000 x 840 mm

Height up to the window 1,530 mm
Clearance 280 mm
Average weight 1,700 kg
Total interior area 15 m²

ENK LINE-UP

ENK-6 V



Specifications:

Length 5,960 mm

Width 2,476 mm

Height 3,355 mm

Window size (WxH) 2,600 x 1,350 mm



Height up to the window 900 mm

Clearance 280 mm

Average weight 1,700 kg

Total interior area 14 m²

ENK-6 BASIC INTERIOR



14 m² total area

ENK LINE-UP

ENK-8




Specifications:

Length	7,960 mm
Width	2,476 mm
Height	3,355 mm
Window size (WxH)	2,000 x 850 mm
TV set opening width	1,100 x 640 mm

Height up to the window	900 mm
Clearance	280 mm
Average weight	2,000 kg
Total interior area	19 m ²


ENK-8 BASIC INTERIOR LAYOUT



19 m² total area

STREALINER LINE-UP

SL-8




Specifications:

Length 8,230 mm
Width 2,520 mm
Height 3,450 mm
Window size (WxH) 2,000 x 1000 mm

Height up to the window 1,200 –1,550 mm
Clearance 0–280 mm
Average weight 2,000 kg
Total interior area 21 m²

SL-8 BASIC INTERIOR LAYOUT



21 m² total area

STREALINER

STREET



Specifications:

Length 3,210 mm
Width 2,476 mm
Height 2,760 mm
Window size (WxH) 980 x 850 mm

Height up to the window 1,240 mm
Total interior area 4 m²

MobiRestaurant







WINDOWS AND DOORS

Material:
aluminum sliding window
(double glass)

Air curtains on
request

Window size*:
1,900–2,600 mm

Gas strut windows

Extra window opening
for assembly

850–1,350 mm

Counter


Showcase

* We can customize the window size or make an extra window in the center for a TV set or menu board.



The door is sliding and suitable even for small spaces.

AIR SUSPENSION



Pneumatic clearance
variance system

Stationary: 0 mm
Comfort: 280 mm



A LOOK INSIDE



INSTALLATION OF COAL-FIRED THERMAL EQUIPMENT





ENK-6V

SL-5



Model

 VIROLLET





Food court integrated environment (MT-8x2)



SMAK - 2020, NORWAY





VIROLLET

DISTRIBUTION ALL OVER EUROPE

ETS VIROLLET REMORQUES

83 ZA ACQUIT

74 520 VALLEIRY

FRANCE

0033 0450043600

ets.virollet@icloud.com



Remorque Viroillet



virollet_remorque